

Ministry of Health

Mpox Vaccine Information Sheet

Version 4.0 – June 26, 2024

This guidance provides basic information only. This document is not intended to provide or take the place of medical advice, diagnosis or treatment, or legal advice.

What is Imvamune®?

Imvamune® vaccine is approved in Canada for protection against smallpox, mpox (formerly monkeypox), and other orthopoxvirus-related illnesses. The vaccine contains weakened virus and cannot make you sick.

Who should get the mpox vaccine?

Currently, in Ontario, one dose of Imvamune® can be received as:

1. **Pre-Exposure Prophylaxis (PrEP)**, which means receiving the vaccine *prior* to any mpox exposure (for those who are likely to be exposed). Most vaccines that people get (e.g., flu vaccines) are for pre-exposure prophylaxis.
2. **Post-Exposure Prophylaxis (PEP)**, which means receiving the vaccine after a potential exposure. For example, if you have had sexual contact with a person infected with mpox, getting a vaccine dose within a certain timeframe can prevent you becoming infected or seriously ill with mpox yourself. This same approach is used with other infectious diseases, for example measles vaccine is sometimes given to prevent illness if someone is exposed to a confirmed measles case.

Imvamune® should ideally be given within 4 days but can be given up to 14 days after the last exposure to be most effective. If you think you have been exposed to mpox, contact your local public health unit to see if you may be eligible to receive vaccine.

Imvamune® is **not a treatment** for mpox. If you are infected with mpox, getting a vaccine will not make your symptoms better.

How many doses of Imvamune® do I need?

Imvamune® is given in 2 doses, at least 28 days apart. Individuals should ensure to receive both doses of Imvamune® to be best protected. Booster doses are not recommended at this time.

It has been more than 28 days since I received my first dose of Imvamune®. Do I need to restart my series?

No, you do not need to restart your series. You should receive your second dose as soon as possible.

I have received a smallpox vaccine before. Do I still need Imvamune®?

Individuals who are eligible for Imvamune® as pre- or post-exposure vaccination and who have previously received smallpox vaccination, are still recommended to receive a 2-dose series of Imvamune®.

I recently had mpox. Do I need to get the vaccine?

At this time, individuals who have been diagnosed as a confirmed case of mpox are not recommended to receive the mpox vaccine.

How effective is 1 or 2 doses of Imvamune®?

Studies have shown that 2 doses of Imvamune® reduces the risk of mpox infection by 66-83%.

Recent Ontario data have shown that persons who have received at least one dose of Imvamune® are less likely to report severe symptoms and to require hospitalization than persons who have not been vaccinated if they become infected.

To be optimally protected, it is recommended that individuals receive 2 doses of Imvamune®, at least 28 days apart.

I just completed my vaccine series. When will I be protected?

After receiving a vaccine, it takes your body approximately 14 days to build immunity.

It has been 2 years since I received my 2-dose series of mpox vaccines, should I receive a booster dose?

No, booster doses are not recommended at this time.

Is the vaccine safe?

Yes, Imvamune® is safe to receive.

There is currently limited information on the use of the vaccine in certain populations. If you are less than 18 years of age, pregnant, breastfeeding, immunocompromised or have atopic dermatitis, you should speak to your health care provider.

Your health care provider will review the risks and benefits of receiving the mpox vaccine.

Can I receive the mpox vaccine at the same time as other vaccines?

Yes, Imvamune® can be given concurrently (i.e., same day) or at any time before or after other live or non-live vaccines.

Who should not receive the vaccine?

Imvamune® is not indicated for the treatment of mpox infection. If you are experiencing any symptoms of mpox, please let your health care provider know before receiving the vaccine. Imvamune® should also not be given to individuals who have allergies to any of the ingredients in the vaccine.

If you have a history of myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the outer lining of the heart) linked to a previous dose of a 1st or 2nd generation smallpox vaccine, speak to your health care provider.

Please talk to your health care provider about the potential risks of getting this vaccine.

Does Imvamune® leave a scar like the smallpox vaccine?

No, Imvamune® will not leave a scar like previous smallpox vaccines as it is not given through scarification. Imvamune® is delivered through the subcutaneous route, which means that the needle is placed into the fatty tissue below the skin and above the muscle tissue. Other vaccines, like Measles Mumps and Rubella (MMR) are also given this way.

Does Imvamune® have side effects?

Imvamune®, like other vaccines, may cause side effects, although not everyone will experience them. The most reported side effects are pain, redness or swelling at the injection site. Other common side effects may include fatigue, headache, muscle aches and pain, and nausea. These side effects are typically mild to moderate and on average did not last longer than 7 days after receiving the vaccine.

No cases of myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the outer lining of the heart) have been identified in clinical trials of Imvamune®. If you develop any cardiac symptoms after receiving the vaccine, please contact your health care provider.

When should I call my health care provider?

Call your health care provider or go to the nearest emergency department if you experience any of the following symptoms after receiving the mpox vaccine:

- Hives
- Swelling of the face or mouth
- Trouble breathing
- Cardiac symptoms such as chest pain, shortness of breath or palpitations

Where can I get more information?

For more information on mpox, please see resources below, or talk to your health care provider.

Ontario Ministry of Health - [Mpox \(monkeypox\)](#)

Public Health Ontario - [Mpox information page](#)

Public Health Agency of Canada - [Mpox: Outbreak update](#)

World Health Organization - [Mpox \(monkeypox\) Key Facts](#)

World Health Organization - [Mpox \(monkeypox\) Questions and Answers](#)

United States Centers for Disease Control - [Mpox information page](#)